

Safety Data Sheet According to U.S.A. Federal Hazcom 2012

1. Identification

1.1. Product identifier

CLEANALL Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Universal floor cleaner.

1.3. Details of the supplier of the safety data sheet

Name. Fila Chemicals USA

Full address 10800 NW 21st St Ste # 170 Full address. District and Country Miami, FL 33172 District and Country.

Tel. (305) 513-0708 Fax. (305) 513-0728 Fila Chemicals USA

e-mail address of the competent person.

responsible for the Safety Data Sheet. sds@filasolutions.com

1.4. Emergency telephone number

800-424-9300 CHEMTREC For urgent inquiries refer to

2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms:

Serious eye damage, category 1

Causes serious eye

damage.



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

Prevention:

P264 Wash hands thoroughly after handling.


P280 Wear protective gloves/ protective clothing / eye protection / face protection.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313 If eye irritation persists: Get medical advice / attention.

Storage:



Disposal: **P501**

Dispose of contents / container in accordance with local/regional/national/international regulation.

2.2. Other hazards

Not relevant

3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification PROPYLENE GLYCOL MONO	x = Conc. %	Classification:	Trade secret:
METHYL ETHER CAS 107-98-2	2 ≤ x < 5	Flammable liquid, category 3 H226, Specific target organ toxicity - single exposure, category 3 H336	§
EC 203-539-1		11000	
INDEX 603-064-00-3			
Alcohols, C12-15, ethoxylated			
CAS 68131-39-5	2 ≤ x < 5	Acute toxicity, category 4 H302, Serious eye damage, category 1 H318, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1	§
EC			
INDEX -			
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts			
CAS 68439-57-6	2 ≤ x < 5	Serious eye damage, category 1 H318, Skin irritation, category 2 H315	§
EC 270-407-8		a, caogory 2 11010	
INDEX -			
DIPROPYLENE GLYCOL MONOMETHYL ETHER			
CAS 34590-94-8	1 ≤ x < 2	Flammable liquid, category 4 H227, Eye irritation, category 2A H319	§
EC 252-104-2			
INDEX -			
L			

Note: Upper limit is not included into the range.


§ The exact percentage (concentration) of composition has been withheld as a trade secret.

The full wording of the hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.



SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up


Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage



7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

NIOSH publication No. 2005-149, 3th printing, 2007. USA NIOSH-REL

USA OSHA-PEL Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.

USA CAL/OSHA-PEL California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs). ΕU OEL EU Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive

2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TLV-ACGIH **ACGIH 2019**

PROPYLENE GLYCOL MONO METHYL ETHER Threshold Limit Value									
Туре	Country	TWA/8h		STEL/15min					
		mg/m3	ppm	mg/m3	ppm				
TLV-ACGIH	-	184	50	368	100				
OEL	EU	375	100	568	150	SKIN			
CAL/OSHA	USA	360	100	540	150	SKIN			
NIOSH	USA	360	100	540	150				

DIPROPYLENE GLYCOL MONOMETHYL ETHER Threshold Limit Value Country TWA/8h STEL/15min Туре mg/m3 mg/m3 ppm ppm TLV-ACGIH 606 100 909 150 SKIN OEL ΕU 308 50 SKIN OSHA USA 600 100 SKIN SKIN CAL/OSHA USA 600 100 900 150 NIOSH USA SKIN 600 100 900 150


Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

TLV of solvent mixture: 184 mg/m3

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.



HAND PROTECTION

Generally not necessary. In case of prolonged contact use gloves to protect hands with category III work gloves (ref. Standard EN 374).

Recommended material: Nitrile, minimum 0.38 mm thick or equivalent barrier material with a high level performance for continuous contact use conditions, with a minimum permeability time of 480 minutes according to the CEN EN 420 and EN standard 374.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties


Appearance liquid
Colour yellow

Odour Lemon fragrance
Odour threshold Not available

pH 10.1

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point > 93 °C **Evaporation Rate** Not available Flammability of solids and gases Not available Not available Lower inflammability limit Upper inflammability limit Not available Not available Lower explosive limit Upper explosive limit Not available Vapour pressure Not available Not available Vapour density Relative density 1.005

Solubility Readily soluble
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available



Viscosity Not available
Explosive properties not applicable
Oxidising properties not applicable

9.2. Other information

Information not available

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

PROPYLENE GLYCOL MONO METHYL ETHER

Dissolves various plastic materials. Stable in normal conditions of use and storage.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Forms peroxides with: air.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

PROPYLENE GLYCOL MONO METHYL ETHER

May react dangerously with: strong oxidising agents, strong acids.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

May react violently with: strong oxidising agents.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

PROPYLENE GLYCOL MONO METHYL ETHER

Avoid exposure to: air.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Avoid exposure to: sources of heat. Possibility of explosion.

10.5. Incompatible materials

PROPYLENE GLYCOL MONO METHYL ETHER


Incompatible with: oxidising substances, strong acids, alkaline metals.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using



the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts

LD50 (Oral) 2079 mk/kg ratto maschile femminile

LD50 (Dermal) > 13500 mg/kg coniglio

LC50 (Inhalation) > 52 mg/l 4 ore

Alcohols, C12-15, ethoxylated

LD50 (Oral) 1700 mg/kg ratto maschile femminile

LD50 (Dermal) > 2000 mg/kg ratto maschile femminile

PROPYLENE GLYCOL MONO METHYL ETHER

LD50 (Oral) 5300 mg/kg Rat

LD50 (Dermal) 13000 mg/kg Rabbit

LC50 (Inhalation) 54.6 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Contains:1,2-benzisothiazol-3(2H)-one May produce an allergic reaction. GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class


Carcinogenicity Assessment:

5989-27-51,8 (9) P-MENTHADIENE;1-METHYL-4-ISOPROPEN

IARC:3

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class



STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

Alcohols, C12-15, ethoxylated

EC10 for Algae / Aquatic Plants 0.092 mg/l/72h alghe 72 h

12.2. Persistence and degradability

DIPROPYLENE GLYCOL MONOMETHYL

ETHER

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

PROPYLENE GLYCOL MONO METHYL

ETHER

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

DIPROPYLENE GLYCOL MONOMETHYL

ETHER

Partition coefficient: n-octanol/water 0.0043

PROPYLENE GLYCOL MONO METHYL

ETHER

Partition coefficient: n-octanol/water < 1

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment


On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods



Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

These goods must be transported by vehicles authorized to transport hazardous materials according to the provisions set out in the current regulations of the U.S. DOT, Canadian TDG, the IMDG and IATA.

Rail and Truck Shipments

DOT Shipping Name: Not regulated

DOT ID Number None
DOT Hazard Class & Packing
Group
DOT Shipping Label None

TDG Shipping Name: Not regulated

TDG ID Number None
TDG DOT Hazard Class & Packing
Group
TDG Shipping Label None

Water Shipments

IMO Shipping Name:

IMO ID Number

IMO DOT Hazard Class & Packing
Group

IMO Shipping Label

Not regulated
None
None
None

IMO Shipping Label None
IMO EMS None

Air Shipments

IATA Shipping Name:

Not regulated None

IATA ID Number

IATA DOT Hazard Class & Packing Group

None

None

None

None

None

None

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

107-98-2 PROPYLENE GLYCOL MONO METHYL ETHER (Glycol

ethers)

34590-94-8 DIPROPYLENE GLYCOL

MONOMETHYL ETHER (Glycol

ethers)

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:



Fila Chemicals USA

CLEANALL

Revision nr. 2

Dated 7/16/2020
Printed on 16/07/2020

Page n. 10/13

Replaced revision:1 (Dated: 5/8/2019)

No component(s) listed.

Clean Water Act – Priority Pollutants:

No component(s) listed.

Clean Water Act – Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

107-98-2 PROPYLENE GLYCOL MONO METHYL ETHER (Glycol ethers)

34590-94-8 DIPROPYLENE GLYCOL MONOMETHYL ETHER (Glycol

ethers)

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

1310-58-3 POTASSIUM HYDROXIDE
1310-73-2 SODIUM HYDROXIDE
141-78-6 ETHYL ACETATE

EPCRA 313 TRI:

107-98-2 PROPYLENE GLYCOL MONO

METHYL ETHER (Glycol ethers)
DIPROPYLENE GLYCOL
MONOMETHYL ETHER (Glycol

ethers)

RCRA Code:

34590-94-8

141-78-6 ETHYL ACETATE

CAA 112 (r) RMP TQ:

No component(s) listed.

State Regulations

Massachussetts:

107-98-2 PROPYLENE GLYCOL MONO METHYL ETHER (Glycol ethers)

34590-94-8 DIPROPYLENE GLYCOL

Fila Chemicals USA Dated 7/16/2020 Printed on 16/07/2020 Page n. 11/13 Replaced revision:1 (Dated: 5/8/2019)

MONOMETHYL ETHER (Glycol

ethers)

Minnesota:

107-98-2 PROPYLENE GLYCOL MONO
METHYL ETHER (Glycol ethers)
34590-94-8 DIPROPYLENE GLYCOL

MONOMETHYL ETHER (Glycol

ethers)

New Jersey:

107-98-2 PROPYLENE GLYCOL MONO

METHYL ETHER (Glycol ethers)
34590-94-8
DIPROPYLENE GLYCOL
MONOMETHYL ETHER (Glycol

ethers)

New York:

No component(s) listed.

Pennsylvania:

107-98-2 PROPYLENE GLYCOL MONO METHYL ETHER (Glycol ethers)

34590-94-8 DIPROPYLENE GLYCOL

MONOMETHYL ETHER (Glycol

ethers)

California:

107-98-2 PROPYLENE GLYCOL MONO

METHYL ETHER (Glycol ethers)
34590-94-8
DIPROPYLENE GLYCOL
MONOMETHYL ETHER (Glycol

ethers)

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H226 Flammable liquid and vapour.

H227 Combustible liquid.H302 Harmful if swallowed.



Fila Chemicals USA

CLEANALL

Revision nr. 2

Dated 7/16/2020 Printed on 16/07/2020

Page n 12/13

Replaced revision:1 (Dated: 5/8/2019)

Causes serious eye damage.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.


LEGEND:

H318

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- FPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website



- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the criteria set out in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

MSDS are subject to change without notice.

Changes to previous review:

The following sections were modified:

08.