

Safety Data Sheet according to U.S.A. Federal Hazcom 2012

1. Identification

1.1. Product identifier

Product name WET ECO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use It protects and tones up the external cotto and natural stone floors.

Identified Uses	Industrial	Professional	Consumer
Uses	✓	✓	✓
1.3. Details of the supplier of the safety data shee	t Fila Chemicals USA		

Full address 10800 NW 21st St Ste # 170
District and Country Miami, FL 33172
Tel. (305) 513-0708
Fax. (305) 513-0728

filausa@filasolutions.com

e-mail address of the competent person

responsible for the Safety Data Sheet sds@filasolutions.com

1.4. Emergency telephone number

800-424-9300 CHEMTREC

2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms: Eye irritation, category 2

Causes serious eye irritation.



surface care solutions	FILA Chemicals USA	Revision nr. 6
		Dated 1/22/2019
	WET ECO	Printed on 22/01/2019
		Page n. 2/13
		Replaced revision:5 (Dated: 1/18/2019)

Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

Prevention:

P280 P264 Wear eye protection / face protection. Wash hands thoroughly after handling.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313 If eye irritation persists: Get medical advice / attention.

Storage:

Disposal:

2.2. Other hazards

Information not available

3. Composition/information on ingredients


3.2. Mixtures

Contains:

Identification	Conc. %	Classification:	Trade secret:
DISTILLATES (PETROLEUM), LIGHT FRACTION CAS 64742-47-8	2 - 5	Flammable liquid, category 3 H226, Aspiration hazard, category 1 H304, Specific target organ toxicity - single exposure, category 3 H336	§
INDEX - POLY (OSSI-1,2-ethanediyl), a- Tridecyl-w- hydroxy-phosphate CAS 9046-01-9 EC INDEX -	1 - 3	Serious eye damage, category 1 H318, Skin irritation, category 2 H315, Hazardous to the aquatic environment, chronic toxicity, category 3 H412	§

Note: Upper limit is not included into the range.

§ The exact percentage (concentration) of composition has been withheld as a trade secret.



The full wording of the hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.


SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.



Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

DISTILLATES (PETROLEUM), LIGHT FRACTION

Threshold Limit Value	e					
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
CAL/OSHA-PEL	USA	1200	197			

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls

writes care solutions	FILA Chemicals USA	Revision nr. 6
		Dated 1/22/2019
	WET ECO	Printed on 22/01/2019
		Page n. 5/13
		Replaced revision:5 (Dated: 1/18/2019)

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. Physical and chemical properties


9.1. Information on basic physical and chemical properties

Appearance liquid
Colour Milky

Odour Distinctive, resiny
Odour threshold Not available

pH 6.5

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available > 93 °C Flash point **Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Not available Upper explosive limit Vapour pressure Not available



Not available Vapour density Relative density 1.015 kg/L Solubility Readily soluble Partition coefficient: n-octanol/water Not available Not available Auto-ignition temperature Decomposition temperature Not available Viscosity Not available Explosive properties Not applicable Oxidising properties Not applicable

9.2. Other information

Information not available

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.


11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information



Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

DISTILLATES (PETROLEUM), LIGHT FRACTION

LD50 (Oral) > 5000 mg/kg rat

LD50 (Dermal) > 5000 mg/kg rabbit

LC50 (Inhalation) > 4951 mg/l/4h rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY


Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class



STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

DISTILLATES (PETROLEUM), LIGHT FRACTION LC50 - for Fish EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

> 1000 mg/l/96h Oncorhynchus mykiss

1000 mg/l/48h Daphnia magna

> 1000 mg/l/72h Pseudokirchneriella subcapitata

12.2. Persistence and degradability

DISTILLATES (PETROLEUM), LIGHT FRACTION Rapidly degradable 12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil


Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available



13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

Rail	and	Truck	Shin	ments
ı\an	anu	IIUCK	OHIL	111101113

DOT Shipping Name:

DOT ID Number

DOT Hazard Class & Packing
Group

DOT Shipping Label

Not regulated
None

None

None

TDG Shipping Name: Not regulated TDG ID Number None

TDG DOT Hazard Class & Packing None

TDG Shipping Label None

Water Shipments

IMO Shipping Name:

IMO ID Number

IMO DOT Hazard Class & Packing
Group

IMO Shipping Label

Not regulated
None

None

None

IMO EMS None

Air Shipments

IATA Shipping Name:

IATA ID Number

IATA DOT Hazard Class & Packing
Group

1 None
IATA Packing Instructions

Not regulated
None
None
None

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture


U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.



ZNS	FILA Chemicals USA	Revision nr. 6
surface core solutions		
	WET FOO	Dated 1/22/2019 Printed on 22/01/2019
	WET ECO	Page n. 10/13
		Replaced revision:5 (Dated: 1/18/2019)
Clean Air Act Section 602 Class I Subs	tances:	
No component(s) listed.		
Clean Air Act Section 602 Class II Subs	stances:	
No component(s) listed.		
Clean Water Act – Priority Pollutants:		
No component(s) listed.		
Clean Water Act – Toxic Pollutants:		
No component(s) listed.		
DEA List I Chemicals (Precursor Chem	icals):	
No component(s) listed.		
DEA List II Chemicals (Essential Chem	icals):	
No component(s) listed.		
EPA List of Lists:		
313 Category Code:		
No component(s) listed.		
EPCRA 302 EHS TPQ:		
No component(s) listed.		
EPCRA 304 EHS RQ:		
No component(s) listed.		
CERCLA RQ:		
No component(s) listed.		
EPCRA 313 TRI:		
No component(s) listed.		
RCRA Code:		
No component(s) listed.		

Revision nr. 6

FAX outre our photon	FILA Chemicals USA	Revision nr. 6	
		Dated 1/22/2019	
	WET ECO	Printed on 22/01/2019 Page n. 11/13 Replaced revision:5 (Dated: 1/18/20	
CAA 112 (r) RMP TQ:			
No component(s) listed.			
State Regulations			
Massachusetts:			
No component(s) listed.			
Minnesota:			
No component(s) listed.			
New Jersey:			
No component(s) listed.			
New York:			
No component(s) listed.			
Pennsylvania:			
No component(s) listed.			
<u>California:</u>			
No component(s) listed.			
Proposition 65: International Regulations			
Substances subject to exportation reporting	purpulant to (FC) Pag. 640/2042		

None

None


None

Canadian WHMIS

Information not available

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:



16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Causes skin irritation.

LEGEND:

H315

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

SANS surface care solutions	FILA Chemicals USA	Revision nr. 6
		Dated 1/22/2019
	WET ECO	Printed on 22/01/2019
		Page n. 13/13
		Replaced revision:5 (Dated: 1/18/2019)

- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Communication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachusetts 105 CMR Department of public health 670.000: "Right to Know"

 Minnesota Chapter 5206 Department Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

MSDS are subject to change without notice.

Changes to previous review:

The following sections were modified:

01 / 03 / 08 / 11 / 12 / 15 / 16.