

# **Safety Data Sheet**

Issue Date: 01-Feb-2013 Revision Date: 30-Jul-2016 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Stone Polish

Other means of identification

**SDS #** MSC-028

Product Code OMB No. 1218-0072

Recommended use of the chemical and restrictions on use

Recommended Use Natural stone polish.

Details of the supplier of the safety data sheet

**Supplier Address** 

Miracle Sealants Company 12318 Lower Azusa Road Arcadia, CA 91006

**Emergency Telephone Number** 

**Company Phone Number** 1-626-443-6433 (Phone) 1-626-443-1435 (Fax)

24 Hour Emergency Phone Number 800-350-1901

Emergency Telephone (24 hr)

For product spills, leaks or exposures call:

Infotrac 1-800-535-5053 (North America) or 1-352-323-3500 (International)

# 2. HAZARDS IDENTIFICATION

Appearance Cloudy white liquid Physical state Liquid Odor Solvent

#### Classification

Acute toxicity - Inhalation (Vapors)	Category 3
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful in contact with skin

Signal Word Danger

Hazard statements

Toxic if inhaled

May be fatal if swallowed and enters airways

Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection
Keep cool

## **Precautionary Statements - Response**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Proprietary distillate	Proprietary	Proprietary
Proprietary wax	Proprietary	Proprietary
Proprietary solvent	Proprietary	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

**Skin Contact** Wash off with soap and water. If irritation persists, call physician.

Inhalation Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Immediate

medical attention is required.

**Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Immediate medical attention is required.

#### Most important symptoms and effects

Symptoms Skin: May cause skin irritation on prolonged or repeated contact.

Eyes: Mild Irritation.

Ingestion: Harmful if swallowed.

Inhalation: Avoid inhalation, if affected, remove individual to fresh air

Chronic effects of over exposure: Prolonged exposure to high concentrations may cause symptoms of central nervous system: depression such as headache, dizziness, loss of coordination. Affected persons normally experience complete recovery when removed from

exposure area.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or

even death due to chemical pneumonia.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam, Carbon dioxide, Dry chemical.

Unsuitable Extinguishing Media Do not use direct stream of water, material may float and reignite.

#### **Specific Hazards Arising from the Chemical**

Product is flammable. Vapor fumes can catch fire and ignite.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. ELIMINATE all

ignition sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions

**Environmental precautions** Contain liquid to prevent further contamination of soil, surface water or ground water.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and soak up with inert

absorbent material.

Methods for Clean-Up

Use clean non-sparking tools to collect absorbed material. Scoop up and place in a proper

waste disposal method. Dispose of in accordance with federal, state and local regulations.

For waste disposal, see section 13 of the SDS.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing vapors or mists. Use only with adequate ventilation. Keep cool. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Keep container tightly closed. Use spark-proof tools and explosion-proof equipment. Take precautionary measures

against static discharges.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32°F or

heat above 110°F. Keep out of the reach of children. Keep container tightly closed. Store in

a well-ventilated place. Store locked up.

**Incompatible Materials** Strong oxidizers. Reducing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary distillate	100 ppm	500 ppm	-
Proprietary wax	TWA: 2 mg/m³ fume	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> fume

#### **Appropriate engineering controls**

Engineering Controls Local exhaust - Okay

Mechanical - Yes, when in enclosed spaces.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tight fitting, splash proof safety glasses.

**Skin and Body Protection** Protective gloves: Plastic or rubber, chemical resistant

Protective clothing or equipment: Chemical resistant clothing.

**Respiratory Protection**Ventilate by opening all doors and windows. If exposure above the TLV or PEL require a

NIOSH approved respirator equipped for the exposure or suitable respiratory protection per

29 CFR 1910.134 is required.

General Hygiene Considerations Work hygienic practices: Wash hands thoroughly before handling foodstuffs, liquids or

tobacco products. Use common sense and care around chemicals. Never mix this product with other chemicals. Consult your supervisor for all other hygienic and safety practices. All practices depend on your specific business. Directions for use normally found on label

which will dictate engineering and control measures.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceCloudy white liquidOdorSolventColorCloudy whiteOdor ThresholdNot determined

\_\_\_\_\_

(Air=1)

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not tested
Melting Point/Freezing Point Not available

 Boiling Point/Boiling Range
 680-950 °C / 360-315 °F

 Flash Point
 40.55 °C / 105 °F

**Evaporation Rate** 0.12

Flammability (Solid, Gas) Not determined

Flammability Limits in Air

Upper Flammability Limits 6.0%
Lower Flammability Limit 1.0%
Vapor Pressure 2 mm Hg
Vapor Density 4.9

Relative Density 0.77

**Water Solubility** Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** 490°F (254.44°C) **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Other Information

VOC Content 80 g/L

**Density** Weight per gallon: 6.4 Lbs

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Sparks or open flames, or severe heat.

#### **Incompatible Materials**

Strong oxidizers. Reducing agents.

# **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Direct contact with eyes may cause temporary irritation.

**Skin Contact** May be harmful in contact with skin. Prolonged contact may cause redness and irritation.

**Inhalation** Toxic if inhaled.

**Ingestion** May be fatal if swallowed and enters airways.

#### **Component Information**

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50		
Proprietary distillate	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat) 4 h		
Proprietary solvent	= 8400 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 3400 ppm (Rat) 4 h		
Proprietary wax	> 3750 mg/kg (Rat)	> 3600 mg/kg ( Rabbit )	-		

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Carcinogenic potential is unknown.

Chronic toxicity Chronic effects of over exposure: Prolonged exposure to high concentrations may cause

symptoms of central nervous system: depression such as headache, dizziness, loss of coordination. Affected persons normally experience complete recovery when removed from

exposure area.

**Aspiration hazard** May be fatal if swallowed and enters airways.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Proprietary distillate		2.2: 96 h Lepomis macrochirus mg/L	4720: 96 h Den-dronereides
		LC50 static 45: 96 h Pimephales	heteropoda mg/L LC50
		promelas mg/L LC50 flow-through	
		2.4: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	
Proprietary solvent		9.22: 96 h Oncorhynchus mykiss	6.14: 48 h Daphnia magna mg/L
		mg/L LC50	EC50

# Persistence/Degradability

Not determined.

#### Bioaccumulation

Not determined.

# **Mobility**

Not determined

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>Please refer to the Bill of Lading receiving/documents for up-to-date information</u>

<u>IATA</u> Please refer to the Bill of Lading receiving/documents for up-to-date information

IMDG Please refer to the Bill of Lading receiving/documents for up-to-date information

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary distillate	Х	Х	X		Х	Present	Х	Х
Proprietary solvent	Х	Х	Х		Х	Present	Х	Х
Proprietary wax	Х	Х	Х	Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Not determined

#### **US State Regulations**

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Magazahusatta	Denneutvenie
Chemical Name	New Jersey	wassachusetts	Pennsyivania
Proprietary wax	X	X	X

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards220Not determinedHMISHealth HazardsFlammabilityPhysical hazardsPersonal Protection220Not determined

Issue Date:01-Feb-2013Revision Date:30-Jul-2016Revision Note:New format

# <u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**