# LATICRETE

# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier Semi Gloss Sealer & Finish

Other means of identification None.

**Recommended use**Treatment of natural stone surfaces.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor informationCompany NameLATICRETE InternationalAddress1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting

effects.

Precautionary statement

**Prevention** Wash thoroughly after handling. Wear protective gloves/eye protection/face protection. Avoid

release to the environment.

**Response** If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Supplemental information None.

Semi Gloss Sealer & Finish SDS US

923910 Version #: 02 Revision date: 17-March-2016 Issue date: 09-February-2015

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Styrene-Acrylic Copolymers	Proprietary	5 - 35
Ethoxylated Alkyl Phosphates	Proprietary	5 - 10
Sodium dodecylbenzenesulfonate	25155-30-0	1 - 5

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Skin contact

Flush thoroughly with water for at least 15 minutes. Wash skin with soap and water. Get medical

attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Permanent eye damage including blindness could result. Headaches, nausea and vomiting.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Environmental precautions**

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

Semi Gloss Sealer & Finish SDS US

923910 Version #: 02 Revision date: 17-March-2016 Issue date: 09-February-2015

## 7. Handling and storage

Precautions for safe handling Avoid inhalation of vapors and contact with skin, eyes and clothing. Use with adequate ventilation.

Do not taste or swallow. Wear appropriate personal protective equipment. Observe good industrial

hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Protect from freezing.

Store away from incompatible materials (See Section 10).

## 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

evewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

Liquid. **Appearance** Liquid. Physical state **Form** Liquid.

Color Opaque, white. Slight, acrylic-like. Odor **Odor threshold** Not available. Not available. рH Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Does not flash. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Vapor pressure Not available. Vapor density Not available.

1.019 Relative density

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** 

Not available.

Semi Gloss Sealer & Finish SDS US

923910 Version #: 02 Revision date: 17-March-2016 Issue date: 09-February-2015 **Decomposition temperature** > 392 °F (> 200 °C) **Viscosity** Not available.

Other information

VOC (Weight %) 52 g/l excluding water.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon dioxide. Carbon monoxide. Sulfur oxides. Sodium oxides.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** In high concentrations, vapors may be irritating to the respiratory system.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Permanent eye damage including blindness could result. Headaches, nausea and vomiting.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

**Acute** Oral

Rat 1.26 g/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization Not a skin sensitizer.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity No data available.

Specific target organ toxicity - No data available.

single exposure

Specific target organ toxicity - No data available.

repeated exposure

Aspiration hazard Not classified.

**Chronic effects** Prolonged or repeated contact may dry skin and cause dermatitis.

Semi Gloss Sealer & Finish SDS US

923910 Version #: 02 Revision date: 17-March-2016 Issue date: 09-February-2015

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Components Species Test Results

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 9.1 mg/l, 48 hours
Fish LC50 Rainbow trout (Oncorhynchus mykiss) 10.8 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Sodium dodecylbenzenesulfonate (CAS 25155-30-0) 0.45

Mobility in soil Not available.

Other adverse effects

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic

organisms.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Sodium dodecylbenzenesulfonate (CAS 25155-30-0) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

Semi Gloss Sealer & Finish SDS US

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

Yes

defects or other reproductive harm.

#### **US. Massachusetts RTK - Substance List**

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

# US. New Jersey Worker and Community Right-to-Know Act

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

### US. Pennsylvania Worker and Community Right-to-Know Law

Inventory name

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

#### **US. Rhode Island RTK**

Sodium dodecylbenzenesulfonate (CAS 25155-30-0)

#### **US. California Proposition 65**

Not Listed.

Country(s) or region

#### International Inventories

• • • • • • • • • • • • • • • • • • •		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

Issue date09-February-2015Revision date17-March-2016

Version # 02

United States & Puerto Rico

**NFPA** ratings



List of abbreviations

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Semi Gloss Sealer & Finish SDS US

Yes

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.

Semi Gloss Sealer & Finish SDS US