

DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011

Ref. 130000102143

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name MSDS Number	:	DuPont [™] StoneTech [®] Professional Enhancer 130000102143
Manufacturer	:	DuPont 1007 Market Street Wilmington, DE 19898
Product Information Medical Emergency Transport Emergency	:	1-800-441-7515 (outside the U.S. 1-302-774-1000) 1-800-441-3637 (outside the U.S. 1-302-774-1139) CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION		
Potential Health Effects Skin	: May cause skin irritation.	
Eyes	: May cause eye irritation. tearing, Blurred vision.	
Inhalation	 Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema). Inhalation of aerosol or fine spray mist may cause serious respiratory problems., Effects of breathing high concentrations of vapour may include:, dizziness, confusion, incoordination, drowsiness, or unconsciousness. 	
Ingestion	 Red blood cell destruction which could produce tiredness, rapid heartbeat, dizziness, pale skin, leg cramps, shortness of breath, jaundice (yellow tinge to skin and eyes) May cause:, Kidney effects, altered blood chemistry, Nasal irritation, inflammation with redness, tenderness or swelling, Respiratory effects. 	
Target Organs	: Blood	
Carcinogenicity None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.		
	1 / 9	



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011

Ref. 130000102143

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Water	7732-18-5	81 - 95 %
Modified Linseed Oil		5 - 15 %
2-Butoxyethanol	111-76-2	<2 %
Fluorinated Acrylic Copolymer		<2 %

CTION 4. FIRST AID ME	ASURES
Skin contact	: Wash off immediately with soap and plenty of water. Wash contaminated clothing before re-use.
Eye contact	: Rinse immediately with plenty of water for at least 15 minutes. Seek medical advice.
Inhalation	: Move to fresh air. Oxygen or artificial respiration if needed. Symptoms may be delayed. Call a physician immediately.
Ingestion	: Call a physician or poison control centre immediately. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
General advice	: When symptoms persist or in all cases of doubt seek medical advice.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable Properties



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011	Ref. 130000102143	
Flash point	: >110 ℃ (>230 ℉)	
Thermal decomposition	 > 200 ℃ (> 392 ℃) To avoid thermal decomposition, do not overheat. Thermal decomposition can lead to release of irritating gases and vapours. 	
Fire and Explosion Hazard	: The product itself does not burn. Hazardous decomposition products formed under fire conditions. Hazardous combustion products: Hydrogen fluoride Carbon dioxide (CO2) Carbon monoxide Other hazardous decomposition products may be formed.	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Firefighting Instructions	: Wear self contained breathing apparatus for fire fighting if necessary. Evacuate personnel to safe areas. Do not allow run-off from fire fighting to enter drains or water courses.	
SECTION 6. ACCIDENTAL RELEASE MEASURES		
NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean- up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.		
Safeguards (Personnel)	: Evacuate personnel to safe areas. Use personal protective equipment. Ventilate the area.	
Spill Cleanup	: Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.	

Accidental Release Measures	:	Do not discharge to streams, ponds, lakes or sewers. Avoid subsoil
		penetration.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel)	 Avoid formation of respirable particles. Do not breathe vapor or mist. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash
	3/9



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011	Ref. 130000102143
	contaminated clothing before re-use.
Handling (Physical Aspects)	 To avoid thermal decomposition, do not overheat. Thermal decomposition can lead to release of irritating gases and vapours. Do not spray near open flame or heated surface.
Storage	: Keep tightly closed in a dry, cool and well-ventilated place.
SECTION 8. EXPOSURE CONTR	OLS/PERSONAL PROTECTION
Engineering controls	: Use only in area provided with appropriate exhaust ventilation. Use an airless flow type of spray applicator. Keep spraying pressure below 60 psi.
Personal protective equipmen Respiratory protection	 In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Hand protection	: Additional protection: Impervious gloves
Eye protection	: Wear safety glasses or coverall chemical splash goggles.
Skin and body protection	: Lightweight protective clothing
Exposure Guidelines Exposure Limit Values 2-Butoxyethanol PEL:	(OSHA) 50 ppm240 mg/m3 8 hr. TWA
	Skin designation
TLV	(ACGIH) 20 ppm TWA
AEL *	(DUPONT) 20 ppm 8 & 12 hr. TWA Skin designation

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

Material Safet	y Data Sheet		QUPOND
DuPont [™] St	oneTech® Pro	fessional Enhancer	
Version 2.1			
Revision Date 02/	/22/2011	Ref. 130000102143	
SECTION 9. PHY	SICAL AND CHEMI	CAL PROPERTIES	
Form Color Odor pH Boiling point % Volatile Specific Gravi Water solubilit	: : : : ty	liquid milky, white ether-like 4.5 $100 \ C (212 \ F)$ $85 - 95 \ M$ 1.0 soluble	
SECTION 10. STA	ABILITY AND REAC	TIVITY Stable under normal conditions.	
Conditions to		To avoid thermal decomposition, do not overheat.	
Hazardous de products	composition :	Carbon dioxide , Carbon monoxide, Hydrogen fluoride Incompletely burned carbon products Other hazardous decomposition products may be formed.	
SECTION 11. TO		DRMATION	
Furth 2-Butoxyethanol	neTech [®] Profession ler information nal LD50 nal	al Enhancer : Information given is based on data obtained from sin : 210 mg/kg , guinea pig : rabbit	nilar product.
		Bloody urine	
Oral	LD50	: 300 mg/kg , rabbit	
Oral		: rat Abnormal decrease in number of red blood cells	
		5/9	



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011	Ref. 130000102143
Inhalation LC50	: 2.21 mg/l , rat
Inhalation	: rat Abnormal decrease in number of red blood cells
Skin irritation	: Skin irritation, multiple species
Eye irritation	: animals (unspecified species) irritant
Skin sensitization	: animals (unspecified species) Not a skin sensitizer.
Repeated dose toxicity	: Oral animals (unspecified species) Liver effects, Kidney effects, Bloody urine
Carcinogenicity	: An increased incidence of tumours was observed in some laboratory animals but not in others.
Mutagenicity	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity	: Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.
Teratogenicity	: Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
Fluorinated Acrylic Copolymer Oral LD50	: > 5,000 mg/kg , rat
Inhalation 4 h ALC	: 4.7 mg/l , rat
Skin irritation	: No skin irritation, rabbit
Eye irritation	: slight irritation, rabbit
Skin sensitization	: Did not cause sensitization on laboratory animals., mouse
Repeated dose toxicity	: Oral - gavage rat Abnormal increase in white blood cells, nasal effects, Kidney effects,
	6 / 9

Material Safety Data Sheet DuPont[™] StoneTech[®] Professional Enhancer Version 2.1 Revision Date 02/22/2011 Ref. 130000102143 Increased kidney weight Mutagenicity Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Teratogenicity : Animal testing showed no developmental toxicity. SECTION 12. ECOLOGICAL INFORMATION Aquatic Toxicity 2-Butoxyethanol 96 h LC50 : Fish (unspecified species) 1,490 mg/l Fluorinated Acrylic Copolymer 48 h EC50 Daphnia magna (Water flea) > 120 mg/l : Additional ecological information : Information given is based on data on the components and the ecotoxicology of similar products. SECTION 13. DISPOSAL CONSIDERATIONS Waste Disposal : In accordance with local and national regulations. SECTION 14. TRANSPORT INFORMATION Not classified as dangerous in the meaning of transport regulations. **SECTION 15. REGULATORY INFORMATION TSCA Status** Listed. : **TSCA Status** : This material contains one or more substances which are subject to a TSCA 7/9



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011	Ref. 130000102143
	Section 5 Consent Order or Significant New Use Rule (SNUR). This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D:
	Fluorinated Acrylic Copolymer PMN Number: P-08-751 Contact your local DuPont sales or technical representative for more information.
SARA 313 Regulated : Chemical(s)	2-Butoxyethanol
CERCLA Reportable : Quantity	53 lbs Based on the percentage composition of this chemical in the product.: 2-Butoxyethanol
PA Right to Know : Regulated Chemical(s)	Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): 2-Butoxyethanol
NJ Right to Know : Regulated Chemical(s)	Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): 2-Butoxyethanol

SECTION 16. OTHER INFORMATION

The DuPont Oval Logo[®], DuPont[™], and StoneTech[®] are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

Contact person : MSDS Coordinator, DuPont Chemicals and Fluoroproducts, Wilmington, DE 19898, (800) 441-7515

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.



DuPont[™] StoneTech[®] Professional Enhancer

Version 2.1

Revision Date 02/22/2011

Ref. 130000102143